



ENGLISH BATHROOM
— LIGHTING —

2018
COLLECTION

INTRODUCTION

The English Bathroom Lighting company presents a collection of stylish and inspirational lighting to both illuminate and invigorate your bathroom in true style. As part of a larger lighting manufacturing group founded nearly 50 years ago, we have considerable research and design resources to ensure we are able to bring you many stylish options in how to light your bathroom space. From modern to classic, vintage to retro, we hope there is a solution for everyone. Along with our attention to detail and eye for quality, we place a huge effort in safety and compliance. So whichever model you might choose, our products will bring you style, function and pleasure in equal measure.

We love seeing how our lighting products are used so please share your finished photos with us! The following social media links can be found on our website.



Get the look: Front Cover – Clifton p7, Inside Front Cover – Orwell p49, Opposite Page – Truro p 55

SETTING THE MOOD

For this modern and sometimes chaotic world we live in, the bathroom has become a place of rejuvenation for the mind, body and soul. Functional and ambient lighting planned into a new bathroom can play a vital part in creating the perfect and relaxing bathing experience.

As the trend moves away from cold and minimalistic bathrooms, lighting is the perfect accessory to help create a warmer and more individual space. Our product designers have taken inspiration from features and trends used on the latest bathroom hardware and accessories to create designs sympathetic with today's style footprint. Many also use LED light sources that look crisp yet burn much less energy, last longer and create far less heat.


In this bathroom lighting collection you will find simplistic beauty as well as opulent statement fittings. Perhaps think of the lighting as part of the design features and whatever your taste, we hope we have the ideal solution for you to enjoy your bathroom more.



TIPS FOR CHOOSING BATHROOM LIGHTING

Like many stages of choosing a new bathroom, deciding on the lighting and the choice of fittings is very subjective but we have provided some of the key points that might help you make your choices.

- 1** Much of our bathroom use takes place early in the morning and late at night when artificial lighting is very important for our daily tasks. Brightness of light is measured in Lumens, which is detailed on most light source packaging. We recommend using 100 Lumens per square metre. So if your bathroom space is 5m x 4m = 20m squared, then 2000 lumens would be an average light level. 3000 lumens would be considered bright. However, more light may be needed for rooms with very high ceilings or dark coloured walls.
- 2** Think of where you want your light coming from; the ceiling, the wall or a mix of both. Typically a sink and mirror setting requires the greatest lighting intensity. You can light this area with wall lights either side, or with an above mirror light. Particularly wide mirrors/vanity units may suit a stylish combination of both, whilst giving ample light for doing make-up, shaving and tooth care. If choosing an above mirror light, ensure its width is no less than 75% and no more than 125% of the mirror for best appearance.
- 3** If you choose to have ceiling fittings you will need to consider the height of your room. Typically, up to 2.4m high ceilings are safest with flush fittings and anything above 2.4m allows for semi flush fittings. If the ceiling is 3.0m or greater, flush fittings may not look as stylish being so high, and this is when semi-flush fittings or even our stunning crystal pendants will work best.
- 4** Consider design, finish and form. Typically light fitting finishes will match the sink hardware. Look at the design details of your intended bathroom hardware and see if there are light fitting styles that accent or complement your chosen designs.
- 5** Share your choices with your bathroom planners /designers. It is important to discuss if you want all lights to operate on one switch or to be split, for example, between ceiling and wall.





TECHNICAL LIGHTING POINTS

Keeping the jargon to a minimum, bathroom lighting should meet certain technical and safety criteria and perform well when switched on. Here are just some of the important things to be aware of:

- 1** Be sure to check and double check that a fitting's dimensions do suit your needs. A catalogue image or web page is hard to entirely depict the size of a product.
- 2** All English Bathroom Lighting products are IP44 or greater. The IP (Ingress Protection) rating relates to the level of protection they are built with to protect against the ingress of water.
- 3** All of our products are manufactured and tested to UK and European standards, code BS EN60598-1, which are the safety standards used by all of the lighting industry in Europe and are CE marked to affirm compliance.
- 4** Be careful to make sure appropriate products are used in the right location, as bathrooms are divided into different zones for vulnerability of water ingress. See page 58 for details.
- 5** Most of our fittings feature G9 LED lamps which are included in the box. The G9 classification is the type of lamp-holder they fit into, and they are rated at 3.5 watts, giving out 320 lumens. This is considered equivalent to around 40 watts of an incandescent lamp.
- 6** All fittings that do not include LED lamps are supplied with conventional E27 lamp-holders for large screw in type lamps (except Newton and Bartley which have integral LED). E27 lamps are not supplied, however, these products are all suitable for LED retro fit lamps and there is a wide choice available in the market. Typically 8W gives output close to incandescent 60W and 12W gives output close to incandescent 100W. English Bathroom Lighting offers two lamp options detailed on Page 59.

For additional technical details, dimensions and spare parts please refer to our website.





CLIFTON2



CLIFTON OVAL

Clifton features triangular cut crystal rods which sparkle when lit.



CLIFTON/L



CLIFTON/M

CLIFTON

CLIFTON2

Polished Chrome
H:279mm W:165mm P:99mm
2 x 3.5W LED G9 (included)

CLIFTON/L

Polished Chrome
H:127mm W:527mm D:527mm
8 x 3.5W LED G9 (included)

CLIFTON/M

Polished Chrome
H:127mm W:438mm D:438mm
6 x 3.5W LED G9 (included)

CLIFTON OVAL

Polished Chrome
H:127mm W:654mm D:191mm
8 x 3.5W LED G9 (included)





ADDISLADE1



ADDISLADE2



ADDISLADE4



ADDISLADE3

ADDISLADE

ADDISLADE1

Polished Chrome
H:257mm W:117mm P: 152mm
1 x 3.5W LED G9 (included)

ADDISLADE2

Polished Chrome
H:257mm W:356mm P: 152mm
2 x 3.5W LED G9 (included)

ADDISLADE3

Polished Chrome
H:257mm W:533mm P: 152mm
3 x 3.5W LED G9 (included)

ADDISLADE4

Polished Chrome
H:257mm W:762mm P: 152mm
4 x 3.5W LED G9 (included)





WINNIFORD3



WINNIFORD1



TYNE1



TYNE3

WINNIFORD & TYNE

WINNIFORD1

Polished Chrome
H:292mm W:133mm P:140mm
1 x 3.5W LED G9 (included)

WINNIFORD3

Polished Chrome
H:273mm W:610mm P:152mm
3 x 3.5W LED G9 (included)

TYNE1

Polished Chrome
H:305mm W:184mm P:127mm
1 x 3.5W LED G9 (included)

TYNE3

Polished Chrome
H:171mm W:635mm P:127mm
3 x 3.5W LED G9 (included)





MEDINA4



MEDINA3



MEDINA1

Medina features curved bubble art glass and etched bottom lenses to conceal the LED light source.

MEDINA

MEDINA1

Polished Chrome
H:228mm W:215mm P:98mm
1 x 3.5W LED G9 (included)

MEDINA3

Polished Chrome
H:127mm W:610mm P:92mm
3 x 3.5W LED G9 (included)

MEDINA4

Polished Chrome
H:127mm W:812mm P:92mm
4 x 3.5W LED G9 (included)



BARTLEY/L



BARTLEY/M



BARTLEY/S

*Bartley looks great either
hung horizontally or as
two bars vertically to frame
a mirror.*

BARTLEY

BARTLEY/L

Polished Chrome
H:127mm W:614mm P:100mm
28W Integrated LED

BARTLEY/M

Polished Chrome
H:127mm W:461mm P:100mm
21W Integrated LED

BARTLEY/S

Polished Chrome
H:127mm W:309mm P:100mm
14W Integrated LED



WINTERBORNE4



WINTERBORNE3



WINTERBORNE2

Winterbourne uses curved linen glass topped with clear rain glass for a truly elegant effect. Models can be mounted horizontally or vertically.

WINTERBORNE

WINTERBORNE2

Polished Chrome
H:136mm W:450mm P:136mm
2 x 3.5W LED G9 (included)


WINTERBORNE3

Polished Chrome
H:136mm W:610mm P:136mm
3 x 3.5W LED G9 (included)

WINTERBORNE4

Polished Chrome
H:136mm W:762mm P:136mm
4 x 3.5W LED G9 (included)





LONGFORD 2B



LONGFORD1



LONGFORD 1B

LONGFORD

LONGFORD1

Polished Chrome
H:362mm W:114mm P:117mm
1 x 3.5W LED G9 (included)

LONGFORD 1B

Polished Chrome
H:362mm W:114mm P:114mm
1 x 3.5W LED G9 (included)

LONGFORD 2B

Polished Chrome
H: 114mm W:559mm P:124mm
2 x 3.5W LED G9 (included)






LONGFORD FLUSH

Longford mini pendants are a great alternative to wall lights either side of a bathroom mirror.



LONGFORD2



LONGFORD/MP

LONGFORD

LONGFORD2

Polished Chrome
H:114mm W:489mm P:124mm
2 x 3.5W LED G9 (included)

LONGFORD FLUSH

Polished Chrome
H:143mm W:318mm D:318mm
2 x 60W E27

LONGFORD/MP

Polished Chrome
H:244mm W:74mm D:74mm
Max. Height: 1203mm
1 x 3.5W LED G9 (included)



AMBER3



AMBER1



RAVENSBOURNE1



SHERBOURNE1

AMBER, RAVENSBOURNE & SHERBOURNE

AMBER1

Polished Chrome
H:191mm W:127mm P:178mm
1 x 3.5W LED G9 (included)

AMBER3

Polished Chrome
H:184mm W:584mm P:178mm
3 x 3.5W LED G9 (included)

RAVENSBOURNE1

Polished Chrome
H:165mm W:110mm P:135mm
1 x 3.5W LED G9 (included)

SHERBOURNE1

Polished Chrome
H:180mm W:115mm P:140mm
1 x 3.5W LED G9 (included)



BOVEY FLUSH



FROGMORE2



FROGMORE1



FROGMORE3

BOVEY & FROGMORE

BOVEY FLUSH

Polished Chrome
H:100mm W:356mm D:356mm
1 x 9W LED GX53 (included)

FROGMORE1

Polished Chrome
H:191mm W:160mm P:206mm
1 x 3.5W LED G9 (included)

FROGMORE2

Polished Chrome
H:231mm W:406mm P:206mm
2 x 3.5W LED G9 (included)

FROGMORE3

Polished Chrome
H:231mm W:610mm P:206mm
3 x 3.5W LED G9 (included)





RISEDALE1

Risedale has clear ribbed glass with an inside etch for added dimension.



RISEDALE2



RISEDALE4



RISEDALE3

RISEDALE

RISEDALE1

Polished Chrome
H:241mm W:127mm P:172mm
1 x 3.5W LED G9 (included)

RISEDALE2

Polished Chrome
H:241mm W:406mm P:186mm
2 x 3.5W LED G9 (included)

RISEDALE3

Polished Chrome
H:241mm W:610mm P:186mm
3 x 3.5W LED G9 (included)

RISEDALE4

Polished Chrome
H:241mm W:827mm P:186mm
4 x 3.5W LED G9 (included)



TYBURN FLUSH



WHITELAKE1



TYBURN1

TYBURN & WHITELAKE

TYBURN FLUSH

Polished Chrome
H:111mm W:330mm D:330mm
2 x 60W E27

TYBURN1

Polished Chrome
H:222mm W:117mm P:178mm
1 x 3.5W LED G9 (included)

WHITELAKE1


Polished Chrome
H:238mm W:136mm P:187mm
1 x 3.5W LED G9 (included)



TILLINGHAM1



WELLINGTON1



WITHAM/L



WITHAM/S

TILLINGHAM, WELLINGTON & WITHAM

TILLINGHAM1

Brushed Nickel
H:237mm W:133mm P:135mm
1 x 3.5W LED G9 (included)

WELLINGTON1

Polished Chrome
H:432mm W:178mm P:95mm
1 x 3.5W LED G9 (included)

WITHAM/L

Polished Chrome
H:406mm W:114mm P:128mm
1 x 3.5W LED G9 (included)

WITHAM/S

Polished Chrome
H:241mm W:114mm P:128mm
1 x 3.5W LED G9 (included)





BANDON/C3



BANDON1

BANDON

BANDON1

Polished Chrome
H:285mm W:170mm P:210mm
1 x 3.5W LED G9 (included)

BANDON/C3

Polished Chrome
H:410mm W:450mm D:450mm
3 x 3.5W LED G9 (included)



TEIGN FLUSH



WANDLE FLUSH



KENNET3



KENNET1

KENNET, TEIGN & WANDLE

KENNET1

Polished Chrome
H:165mm W:229mm P:178mm
1 x 3.5W LED G9 (included)

KENNET3

Polished Chrome
H:165mm W:660mm P:178mm
3 x 3.5W LED G9 (included)

TEIGN FLUSH

Polished Chrome
H:121mm W:305mm D:305mm
2 x 60W E27

WANDLE FLUSH

Polished Chrome
H:178mm W:400mm D:400mm
3 x 60W E27



LIVERTON/SF



LIVERTON2



LIVERTON3



LIVERTON1

LIVERTON

LIVERTON/SF

Polished Chrome
H:253mm W:381mm D:381mm
3 x 3.5W LED G9 (included)

LIVERTON1

Polished Chrome
H:306mm W:127mm P:202mm
1 x 3.5W LED G9 (included)

LIVERTON2

Polished Chrome
H:197mm W:367mm P:163mm
2 x 3.5W LED G9 (included)

LIVERTON3

Polished Chrome
H:197mm W:610mm P:163mm
3 x 3.5W LED G9 (included)





COQUET3



COQUET2



COQUET1

COQUET

COQUET1

Polished Chrome
H:248mm W:133mm P:152mm
1 x 3.5W LED G9 (included)

COQUET2

Polished Chrome
H:248mm W:330mm P:152mm
2 x 3.5W LED G9 (included)

COQUET3

Polished Chrome
H:248mm W:533mm P:152mm
3 x 3.5W LED G9 (included)



KILTON/F/L
Shown in Polished Chrome
(PC)



KILTON/F/L
Also in Polished Gold
(PG)



KILTON/F/M
Shown in Polished Gold
(PG)



KILTON/F/M
Also in Polished Chrome
(PC)

KILTON

KILTON/F/L

Polished Chrome (PC), or
Polished Gold (PG)
H:95mm W:290mm D:290mm
1 x 9W LED GX53 (included)

KILTON/F/M

Polished Chrome (PC), or
Polished Gold (PG)
H:95mm W:235mm D:235mm
1 x 9W LED GX53 (included)



WAVENEY3



WAVENEY2



WAVENEY1

WAVENEY

WAVENEY1

Polished Chrome
H:180mm W:170mm P:120mm
1 x 3.5W LED G9 (included)

WAVENEY2

Polished Chrome
H:120mm W:390mm P:120mm
2 x 3.5W LED G9 (included)

WAVENEY3

Polished Chrome
H:120mm W:610mm P:120mm
3 x 3.5W LED G9 (included)





KIELDER1



ASHBOURNE1



WESTBOURNE1

ASHBOURNE, KIELDER & WESTBOURNE

ASHBOURNE1

Polished Chrome
H:245mm W:135mm P:160mm
1 x 3.5W LED G9 (included)

KIELDER1

Polished Chrome
H:365mm W:120mm P:110mm
1 x 3.5W LED G9 (included)

WESTBOURNE1

Polished Chrome
H:147mm W:100mm P:120mm
1 x 3.5W LED G9 (included)



NEWTON/F PB

Newton has an ultra flat profile with a super high 2,250 lumen LED output.



NEWTON/F PC



NEWTON/F AB

NEWTON

NEWTON/F AB

Aged Brass
H:40mm W:361mm D:361mm
25W Integrated LED

NEWTON/F PB

Polished Brass
H:40mm W:361mm D:361mm
25W Integrated LED

NEWTON/F PC

Polished Chrome
H:40mm W:361mm D:361mm
25W Integrated LED



BOWCOMBE/L



BOWCOMBE/SF

*This sleek design features
opal etched glass.*



BOWCOMBE/S



BOWCOMBE3

BOWCOMBE

BOWCOMBE/SF

Polished Chrome
H:291mm W:416mm D:416mm
3 x 3.5W LED G9 (included)

BOWCOMBE/L

Polished Chrome
H:489mm W:114mm P:130mm
1 x 3.5W LED G9 (included)

BOWCOMBE/S

Polished Chrome
H:195mm W:114mm P:137mm
1 x 3.5W LED G9 (included)

BOWCOMBE3

Polished Chrome
H:191mm W:533mm P:142mm
3 x 3.5W LED G9 (included)





HARTLEY FLUSH



HARTLEY1



BURWELL1



HARBOURNE1

BURWELL, HARBOURNE & HARTLEY

BURWELL1

Polished Chrome
H:365mm W:120mm P:110mm
1 x 3.5W LED G9 (included)

HARBOURNE1

Polished Chrome
H:230mm W:110mm P:135mm
1 x 3.5W LED G9 (included)

HARTLEY FLUSH

Polished Chrome
H:156mm W:335mm D:335mm
2 x 60W E27

HARTLEY1

Polished Chrome
H:216mm W:129mm P:160mm
1 x 3.5W LED G9 (included)



BAYSDALE4

Bar lights can be mounted facing up or down.



BAYSDALE3



BAYSDALE1



BAYSDALE2

BAYSDALE

BAYSDALE1

Polished Chrome
H:295mm W:116mm P:145mm
1 x 3.5W LED G9 (included)

BAYSDALE2

Polished Chrome
H:196mm W:420mm P:150mm
2 x 3.5W LED G9 (included)

BAYSDALE3

Polished Chrome
H:196mm W:620mm P:150mm
3 x 3.5W LED G9 (included)

BAYSDALE4

Polished Chrome
H:196mm W:820mm P:150mm
4 x 3.5W LED G9 (included)



LIFFEY/S
Shown in Natural Brass
(NBR)



LIFFEY/S
Shown in Polished Chrome
(PC)



LIFFEY/L
Shown in Classic Pewter
(CLP)



LIFFEY/L
Shown in Polished Brass
(PB)

*Two sizes available
in four colours.*

LIFFEY

LIFFEY/S

Classic Pewter (CLP), Polished Chrome (PC), Polished Brass (PB),
or Natural Brass (NBR)
H: 559mm W: 165mm P: 98mm | 2 x 3.5W LED G9 (included)

LIFFEY/L

Classic Pewter (CLP), Polished Chrome (PC), Polished Brass (PB),
or Natural Brass (NBR)
H: 762mm W: 204mm P: 117mm | 2 x 3.5W LED G9 (included)





HOLBECK PC



HOLBECK BB

HOLBECK

HOLBECK BB

Brushed Brass
H:409mm W:135mm P:229mm
1 x 3.5W LED G9 (included)

HOLBECK PC

Polished Chrome
H:409mm W:135mm P:229mm
1 x 3.5W LED G9 (included)





FOYLE3

*Foyle has multi-faceted,
pressed crystal glass shades
for soft, delicate light.*



FOYLE1

FOYLE

FOYLE1

Polished Chrome
H:155mm W:127mm P:165mm
1 x 3.5W LED G9 (included)

FOYLE3

Polished Chrome
H:161mm W:508mm P:170mm
3 x 3.5W LED G9 (included)



RIVULET1



RIVULET3

Rivulet's unique thick glass is frosted on the inside to diffuse glare and is textured with ripples on the outside.



SOUTHPOOL1



SOUTHPOOL3

RIVULET & SOUTHPOOL

RIVULET1

Polished Chrome
H:181mm W:144mm P:116mm
1 x 3.5W LED G9 (included)

RIVULET3

Polished Chrome
H:140mm W:559mm P:101mm
3 x 3.5W LED G9 (included)

SOUTHPOOL1

Polished Chrome
H:165mm W:112mm P:145mm
1 x 3.5W LED G9 (included)

SOUTHPOOL3

Polished Chrome
H:162mm W:509mm P:135mm
3 x 3.5W LED G9 (included)



POULTER BN

Poulter has an LED fitted into the top of the acrylic stem for a beautiful glow.



POULTER PC



WRAYSBURY PC



WRAYSBURY PG

POULTER & WRAYSBURY

POULTER BN

Brushed Nickel
H:493mm W:135mm P:215mm
1 x 3.5W LED G9 (included) &
1W Integrated LED

POULTER PC

Polished Chrome
H:493mm W:135mm P:215mm
1 x 3.5W LED G9 (included) &
1W Integrated LED

WRAYSBURY PC

Polished Chrome
H:506mm W:126mm P:200mm
1 x 3.5W LED G9 (included)

WRAYSBURY PG

Polished Gold
H:506mm W:126mm P:200mm
1 x 3.5W LED G9 (included)





ORWELL1 PC



ORWELL2 PC



ORWELL1 PB



ORWELL2 PB

ORWELL

ORWELL1 PB

Polished Brass
H:280mm W:90mm P:130mm
1 x 3.5W LED G9 (included)

ORWELL1 PC

Polished Chrome
H:280mm W:90mm P:130mm
1 x 3.5W LED G9 (included)

ORWELL2 PB

Polished Brass
H:90mm W:470mm P:130mm
2 x 3.5W LED G9 (included)

ORWELL2 PC

Polished Chrome
H:90mm W:470mm P:130mm
2 x 3.5W LED G9 (included)





LANGDEN/A
SHOWN IN POLISHED NICKEL



LANGDEN/B
SHOWN IN POLISHED BRASS



LANGDEN/C
SHOWN IN POLISHED BRASS



LANGDEN/D
SHOWN IN POLISHED CHROME

LANGDEN

LANGDEN/A

Polished Chrome (PC), Nickel (PN), or Brass (PB)
H:330mm W:140mm P:140mm
1 x 3.5W LED G9 (included)

LANGDEN/B

Polished Chrome (PC), Nickel (PN), or Brass (PB)
H:350mm W:130mm P:135mm
1 x 3.5W LED G9 (included)

LANGDEN/C

Polished Chrome (PC), Nickel (PN), or Brass (PB)
H:410mm W:120mm P:120mm
1 x 3.5W LED G9 (included)

LANGDEN/D

Polished Chrome (PC), Nickel (PN), or Brass (PB)
H:400mm W:100mm P:110mm
1 x 3.5W LED G9 (included)



DEEPDALE/A PB



DEEPDALE/A PN



DEEPDALE/A PC



DEEPDALE/C PC

DEEPDALE

DEEPDALE/A PB

Polished Brass
H:265mm W:140mm P:225mm
1 x 3.5W LED G9 (included)

DEEPDALE/A PC

Polished Chrome
H:265mm W:140mm P:225mm
1 x 3.5W LED G9 (included)

DEEPDALE/A PN

Polished Nickel
H:265mm W:140mm P:225mm
1 x 3.5W LED G9 (included)

DEEPDALE/C PC

Polished Chrome
H:345mm W:120mm P:220mm
1 x 3.5W LED G9 (included)



WANSBECK PN
POLISHED NICKEL



WANSBECK PB
POLISHED BRASS



WANSBECK PC
POLISHED CHROME

WANSBECK

WANSBECK PB

Polished Brass
H:340mm W:120mm P:215mm
1 x 3.5W LED G9 (included)

WANSBECK PC

Polished Chrome
H:340mm W:120mm P:215mm
1 x 3.5W LED G9 (included)

WANSBECK PN

Polished Nickel
H:340mm W:120mm P:215mm
1 x 3.5W LED G9 (included)





POLISHED BRASS
(PB)



POLISHED NICKEL
(PN)



TRURO/A
SHOWN IN POLISHED CHROME (PC)



TRURO/C
SHOWN IN POLISHED CHROME (PC)



TRURO/B
SHOWN IN POLISHED CHROME (PC)

TRURO

TRURO/A

Polished Chrome (PC), Brass (PB)
or Nickel (PN)
H:220mm W:140mm P:165mm
1 x 3.5W LED G9 (included)

TRURO/B

Polished Chrome (PC), Brass (PB)
or Nickel (PN)
H:240mm W:130mm P:160mm
1 x 3.5W LED G9 (included)

TRURO/C

Polished Chrome (PC), Brass (PB)
or Nickel (PN)
H:300mm W:140mm P:155mm
1 x 3.5W LED G9 (included)



BLYTH3



BLYTH1



HOLYBROOK1



HOLYBROOK3

BLYTH & HOLYBROOK

BLYTH1

Burnished Brass
H:191mm W:127mm P:178mm
1 x 3.5W LED G9 (included)

BLYTH3

Burnished Brass
H:184mm W:584mm P:178mm
3 x 3.5W LED G9 (included)

HOLYBROOK1

Burnished Brass
H:241mm W:140mm P:191mm
1 x 3.5W LED G9 (included)

HOLYBROOK3

Burnished Brass
H:235mm W:540mm P:191mm
3 x 3.5W LED G9 (included)



LOVAT PC



LOVAT FG

*Lovat has a fitted LED
downlighter for a
beautiful bright glow.*



EDEN AN



EDEN BR

EDEN & LOVAT

EDEN AN

Polished Antique Nickel
H:220mm W:124mm P:165mm
1 x 3.5W LED G9 (included)

EDEN BR

Pearl Bronze
H:220mm W:124mm P:165mm
1 x 3.5W LED G9 (included)

LOVAT FG

French Gold
H:424mm W:220mm P:164mm
1 x 3.5W LED G9 (included) &
1W Integrated LED

LOVAT PC

Polished Chrome
H:424mm W:220mm P:164mm
1 x 3.5W LED G9 (included) &
1W Integrated LED

BATHROOM LIGHTING SAFETY

Ensure that when you are planning a new bathroom that you purchase lights specifically designed for use in the bathroom. Lighting must comply with European safety regulations BS EN60598-1 that are designed and rated to be protected against the ingress of water, known as IP rating.

We would always recommend that you engage a qualified electrician to install any bathroom fittings as they should be familiar with the IEE wiring regulations – 17th edition or similar.

When choosing your lights in the bathroom you need to ensure they have the correct IP rating for the zone they are required for. You can see our diagram below for assistance. The zones are:

Zone 0 – includes shower cubicles and baths, if the fitting is likely to be submerged in water it will need to be IP67 or greater.


Zone 1 – where water jets/shower heads are likely, the model must be IP65 or greater. If the fitting is 240 volts, a 30mA residual current device (RCD) must also be used to protect the circuit in this zone.

Zone 2 – is the area 0.6m outside the perimeter of the bath, shower unit and wash basin (to a height of 2.25m from the floor). IP44 rated products must be used in this zone.

Zone 3 – is anywhere outside of zones 0, 1 and 2 where no water jet is likely to be used for cleaning purposes. (No IP rating is required for this zone)

Ceiling lights (excluding above a shower) are generally expected to be IP44 rated or greater.

All products in the English Bathroom Lighting collection are IP44 rated and are suitable for Zones 2 and above in the bathroom.



LAMP OPTIONS

For your convenience, we offer 2 sizes of lamps to suit our fittings with E27 lampholders, each with a different light output. When choosing lamps, consider how bright you want them. A flush fitting with 3 x E27 using the 8W lamps will be quite bright especially in a smaller room/lower ceiling setting.

The G9 and GX53 lamps shown are supplied complete with certain fittings and are available to buy as spares.



GOLF BALL E27 LAMP

Dimensions: H: 72mm x D: 45mm
Wattage: 4W (35W equivalent)
Voltage: 220-240V
Colour temp.: 3000k (warm white)
Expected Life: 25,000 hours
Lumens: 400 Lm
Switch Cycles: 12,500
 This lamp is not dimmable
Code: LP/LED4W/E27/G45



CLASSIC E27 LAMP

Dimensions: H: 105mm x D: 60mm
Wattage: 8W (60W equivalent)
Voltage: 220-240V
Colour temp.: 3000k (warm white)
Expected Life: 25,000 hours
Lumens: 800 Lm
Switch Cycles: 12,500
 This lamp is not dimmable
Code: LP/LED8W/E27/A60



G9 LAMP

Dimensions: H: 50mm x D: 15mm
Wattage: 3.5W (40W equivalent)
Voltage: 220-240V
Colour temp.: 3000k (warm white)
Expected Life: 25,000 hours
Lumens: 320 Lm
Switch Cycles: 12,500
 This lamp is not dimmable
Code: LP/LED3.5W/G9



GX53 LAMP

Dimensions: H: 24mm x D: 75mm
Wattage: 9W (55W equivalent)
Voltage: 220-240V
Colour temp.: 3000k (warm white)
Expected Life: 25,000 hours
Lumens: 720 Lm
Switch Cycles: 50,000
 This lamp is not dimmable
Code: LP/LED9W/GX53

INDEX

ADDISLADE	8-9	EDEN	57	LONGFORD	16-19	TRURO	54-55
AMBER	20	FOYLE	44-45	LOVAT	57	TYBURN	24
ASHBOURNE	34-35	FROGMORE	21	MEDINA	12-13	TYNE	11
BANDON	26-27	HARBOURNE	39	NEWTON	36	WANDLE	28
BARTLEY	14	HARTLEY	39	ORWELL	48-49	WANSBECK	53
BAYSDALE	40	HOLBECK	42-43	POULTER	47	WAVENEY	33
BLYTH	56	HOLYBROOK	56	RAVENSBORNE	20	WELLINGTON	25
BOVEY	21	KENNET	28	RISEDALE	22-23	WESTBOURNE	35
BOWCOMBE	37	KIELDER	34-35	RIVULET	46	WHITELAKE	24
BURWELL	38-39	KILTON	32	SHERBOURNE	20	WINNIFORD	10-11
CLIFTON	6-7	LANGDEN	50-51	SOUTHPOOL	46	WINTERBORNE	15
COQUET	26-27	LIFFEY	41	TEIGN	28	WITHAM	25
DEEPPDALE	52	LIVERTON	29	TILLINGHAM	25	WRAYSBURY	47

